

KETLEY

BRICK

Bricks, Slips and Pavers

Staffordshire Clay Building Products





100 Year Tradition

Ketley was founded over 100 years ago and forms part of the Hinton Perry & Davenhill family business, which began making Dreadnought clay roof tiles in 1805. The company has a long tradition of clay craft and a passion to create the finest natural clay building materials.

For further information on Dreadnought Tiles visit the website www.dreadnought-tiles.co.uk

Clay Specialists

At Ketley we manufacture Staffordshire clay bricks and clay pavers which we make from Etruria marl, the strongest clay. This focus and depth of experience is unique and enables us to tackle even the most demanding requirements for specialist clay bricks and pavers. All Ketley products are made to engineering brick specifications and are suitable for landscaping applications and other applications like projecting brickwork.



Ketley have recently introduced extruded brickslips and quarry tiles which are manufactured in a range of colours including the 3 traditional Ketley colours. The brick slips are available in a smooth, sanded or rustic finish and with only 30% of the embodied carbon of a traditional cut brick slip they are a highly durable, sustainable and cost effective choice for construction.

Manufacturing Process

Ketley bricks and pavers conform to BS EN 771-1:2011+A1:2015. Our modern plant gives us a unique level of flexibility and range for the manufacture of specials.

At Ketley Brick Company we combine the traditional values embodied in our 100 year history with the determination to be a highly efficient manufacturer of consistently high quality product.

Quality and Service

Ketley is quality assured to ISO 9001:2015 and we pride ourselves on our tradition, our commitment to quality and Ketley Brick's 100 year reputation for excellence.

One hundred year continuity of family ownership ensures an enthusiastic sales support team with unrivalled experience. You will find us easily accessible and ready to give advice from design stage to completion of a project.

We also have a team of experts across the country who are available to provide advice and to discuss the details and requirements for your projects.

Contact us to view completed projects using Ketley bricks and pavers in your area or for any additional information or advice.

The Environment and Sustainability

We take our environmental commitments seriously and exceed all the necessary legislation in this area. Our modern plant operates an Environmental Management System accredited to ISO 14001:2015 and we are consistently working to improve our energy and production efficiency.

Sustainable development is about delivering a better quality of life for everyone, now and for generations to come. Our task is to use resources as efficiently as possible, to reduce waste, to minimise the energy used in manufacture and to ensure that our products have the longest possible lifespan.

Ketley Bricks manufactured over 100 years ago are still in use today. This surely demonstrates their sustainability. We believe that the most reliable measure of sustainability is to calculate the embodied energy in production, divided by the useful life of the products.



Ketley Brick

Ketley Brick - The Company

1

Ketley Clay Pavers

3

New Tenger Pavers

4

Classic Staffordshire Blue

5

Classic Staffordshire Red

6

Classic Staffordshire Brown Brindle

7

Patterned Staffordshire Pavers

8

Paver Specifications

10

Quarry Tiles

11

Ketley Clay Bricks

13

Staffordshire Blue Class "A" Brick

15

Staffordshire Brown Brindle Class "A" Brick

17

Staffordshire Red Class "A" Brick

19

Brick Slips

21

Special Shaped Bricks

23

New Vision Bricks

24

New Linium Bricks

25

Brick and Brick Slip Specifications

26





Ketley clay pavers and quarry tiles

Ketley Clay Pavers have an inherent natural beauty and strength. Widely used by the Victorians beside their canal and railway systems and in their industrial and urban developments, Ketley pavers have passed the ultimate test - **“the test of time”**.

The continuing popularity of Ketley pavers lies in their depth and consistency of colour permanence and their strength and durability. With a wide range of patterns, designs and natural colour, Ketley pavers provide solutions that add value and beauty to any built environment.

Natural beauty in clay

Colours that do not fade over time

High durability in heavy use areas

Available in traditional patterns

With a full range of specials and fittings

With most paving projects over 80% of the expense is in the laying and fitting, so choosing a high quality clay paver will only marginally affect the overall cost.



New Tenger Pavers

We are excited to introduce our new range of small format pavers, made in the same factory, from the same Etruria marl as our existing plain and patterned paver range.

At 200 x 50 x 65mm, they have a contemporary look and can also be laid as 200 x 65 x 50mm pavers to achieve a basket weave pattern.

Unlike dutch pavers which tend to be tumbled on their edges, these have square edges and an attractive dragwire finish. They are ideal for domestic gardens and driveways and because of the excellent technical properties of Etruria marl, they can even be used in civic and public realm schemes.



Staffordshire blue



Staffordshire brown brindle



Staffordshire red



Classic Staffordshire Blue

Inherent natural beauty and strength

Manufactured to the same specification for over 100 years, Ketley Staffordshire Blues are the original product with a rich distinctive colour that is permanent. Made from the finest Etruria marl fired at over 1130°, Ketley pavers are of unrivalled strength and durability.



Dragfaced chamfered



Dragfaced square edged



Classic Staffordshire Red

Permanent natural colour and strength

Ketley Staffordshire red pavers provide a rich colour which won't fade over time. They are highly durable and justify a classification as heavy duty - suitable for channelised traffic flow in public pedestrianised areas.



Dragfaced chamfered



Dragfaced square edged





Classic Staffordshire Brown Brindle

Ketley brown brindle pavers are a unique product, the result of careful control of the kiln atmosphere during the firing process, which produces an aesthetically pleasing random colour variation and an organic appearance when laid.

Ketley brown brindle pavers are the authentic traditional product, a perfect match for restoration projects such as canal towpaths where they are widely used.



Dragfaced chamfered



Dragfaced square edged



Samples: Illustrations in this publication are as accurate as the printing process will permit and will reflect lighting conditions at the time the photographs were taken. To appreciate fully the appearance of the bricks please request samples from our Sales office on 01384 78361 or info@ketley-brick.co.uk, these are freely available and will provide a better guide. All our products are made from naturally occurring materials and therefore a certain degree of colour variation is an inherent feature of the products.




Patterned Staffordshire Pavers

Typical of the Victorian era, Ketley Staffordshire blue diamond chequered pavers are the authentic product, the perfect match for restoration or an ideal means of achieving a traditional, period look.

Ketley chequered and panelled pavers were widely used by the Victorians beside their canal and railway systems and in their industrial and urban developments. They have passed the ultimate test - the test of time.

Patterned designs not only shed water rapidly and provide enhanced traction, but their traditional designs add a long established look and a strong aesthetic appeal.

Ketley patterned pavers are also particularly effective when used to break up large areas, by providing contrasting banding or by adding interest and texture.



Staffordshire diamond chequered paver square edged

Available in blue, red & brown brindle



Staffordshire 2 panel paver chamfered

Available in blue, red & brown brindle



Staffordshire 8 panel paver chamfered

Available in blue, red & brown brindle



Staffordshire star paver chamfered

Available in blue, red & brown brindle



Bespoke Staffordshire clay pavers to your own design square edged or chamfered

Available in blue, red & brown brindle

Paver Specifications

Colour: Staffordshire blue / red / brown brindle
Finish: Dragfaced or patterned
Raw Material: Etruria marl
Manufacture: Extruded, wirecut and fired above 1130° C
Bulk Density: 2,300 kg/m³

NB When laying clay pavers, it is important to provide a finished joint width between pavers of approx 2-5mm beyond any edge protection nibs to permit infill and to minimise damage in compaction and subsequent use. Failure to do this may result in chipping of the clay pavers.

Performance Data:
 BS EN 1344 : 2013

Size Range	R1
Mean transverse Breaking load	T4
Unpolished slip/skid resistance	U3
Abrasion resistance	A3
Freeze/thaw resistance	FP100

Classic and Tenger Dragfaced Pavers

Sizes and coverage

Work Size mm	Pattern	Pack Weight	No. Per Pallet	Units per m ²	
				Rigid with 10mm joint	Flexible butt jointed (3mm joint)
215x102.5x50	square edged	1300kg	500	40	44
215x102.5x65	square edged	1320kg	400	40	44
200x100x50	square edged & chamfered	1150kg	500	43	48
200x100x65	square edged & chamfered	1200kg	400	43	48
200x50x65	Tenger square edged	832kg	520		93
200x65x50	Tenger square edged	832kg	520		73

Patterned Staffordshire Pavers

Sizes and coverage

Work Size mm	Pattern	Pack Weight	No. Per Pallet	Units per m ²	
				Rigid with 10mm joint	Flexible butt jointed (3mm joint)
220 x 105 x 50	Diam cheq/2 or 8 panel	1300kg	500	38	42
220 x 105 x 65	Diam cheq/2 or 8 panel	1360kg	400	38	42
200 x 100 x 50	Diam cheq/star/2 or 8 panel	1150kg	500	43	48
200 x 100 x 65	Diam cheq/star/2 or 8 panel	1200kg	400	43	48




Brick Award Winner Ketley Staffs blue quarry tiles inside merge with Ketley Staffs blue pavers outside at Maggies Manchester, designed by Foster + Partners



Quarry Tiles

Ketley quarry tiles, sometimes known also as clay floor tiles or paving tiles, are available in a range of natural clay colours and provide a robust and hardwearing flooring solution. For restoration projects Ketley quarry tiles offer a very good match to the discontinued Hawkins and Dennis Ruabon quarry tiles which can be found in many parts of the UK. They offer excellent slip resistance and suit most flooring and wall cladding applications indoors or externally, in commercial premises or the home.

18mm thick, they are manufactured from the proven Etruria marl clay, which becomes dense when fired, and is hard wearing and resistant to acids, alkalis, oils, grease and fats. In pendulum tests where anything higher than 36 indicates low slip potential, they score a dry value average of 63 and a wet value average of 55 meaning they have excellent slip resistance in both wet and dry conditions. They can be classified as R11 and Category C which is the highest rating for slip resistance according to BS EN 14411.



Technical Specifications for Quarry Tiles

COLOURS: Staffordshire red / light multi / dark multi / brown brindle / Staffordshire blue

SIZES: 215mm x 102.5mm, 215mm x 65mm and 150mm x 150mm

TEXTURE: Smooth **MANUFACTURE:** Extruded

PACKING ON PALLETS: 1350 pieces on a pallet for 215 x 102.5 x 18mm size 1890 for 215 x 65 x 18mm size


COVERAGE: per m² 40 for 215 x 102.5mm size with 10mm joint 60 for 215 x 65mm size with a 10mm joint

PROPERTIES	BS EN 14411 GROUP A1b REQUIREMENT	TYPICAL VALUES
Dimensions and surface quality		
Length x Width	Average tolerance $\pm 2\%$	within $\pm 2\%$
Thickness 18mm	Average tolerance is $\pm 10\%$	within $\pm 5.5\%$
Straightness of sides	within $\pm 0.6\%$	within $\pm 0.2\%$
Rectangularity	within $\pm 1\%$	within $\pm 0.2\%$
Surface flatness	Centre curvature $\pm 1.5\%$	Centre curvature $\pm 0.7\%$
	Edge curvature $\pm 1.5\%$	Edge curvature $\pm 1.0\%$
	Warpage $\pm 1.5\%$	Warpage $\pm 0.7\%$
Physical properties		
Water absorption	0.5 < 3%	1.50%
Breaking strength	Min 1100N	2995N
Resistance to deep abrasion	Max 275mm ³	106mm ³
Frost resistance	Value to be stated	No damage after 100 cycles
Slip resistance	Pendulum test results exceeding 36 indicate low slip potential Inclined platform in shod conditions	Dry value av 96 wet value av of 58 on slider 55 for Staffs blue Dry value av 63 wet value av of 55 on slider 96 for brown brindle Category R11 which indicates that they are considered not to be slippery in wet or greasy conditions.
Bond strength	Inclined platform in wet barefoot conditions C2 Cementitious adhesives Reaction resin adhesives Mortar	Category C which is the highest rating for slip resistance. >1.0 N/mm ² >2.0 N/mm ² 0.15 N/mm ²
Moisture expansion	No requirement	Negligible
Reaction to fire	Value to be stated	A1
Chemical properties		
Resistance to staining	Minimum requirement 3	Paste stain 5 Chemical/oxydising stain 4 Film stain 3

Samples: Illustrations in this publication are as accurate as the printing process will permit and will reflect lighting conditions at the time the photographs were taken. To appreciate fully the appearance of the bricks please request samples from our Sales office on **01384 78361** or **info@ketley-brick.co.uk**, these are freely available and will provide a better guide. All our products are made from naturally occurring materials and therefore a certain degree of colour variation is an inherent feature of the products.

The Toughest Bricks

Ketley Class A facing bricks and special bricks
Staffordshire blue, Staffordshire brown brindle, Staffordshire red.



Where quality and durability are paramount, Ketley bricks offer solid and perforated bricks, tried and tested in the toughest environments. Ketley Staffordshire blue bricks have always been regarded as the mark of durability and strength, making them the choice for highly demanding environments. They are an excellent choice for use in textured facades where more than one face of the brick is exposed to the weather.

Ketley bricks and specials also add character and distinction to a project. Whether it be to add contrast and detail in brickwork as a feature brick or to make a strong impression with contrasting banding or geometric patterns, Ketley Brick offer a reliable choice. We manufacture a wide range of standard specials as well as a bespoke service for more demanding requirements.


Our new Vision Bricks allow architects and designers to create intricate brick facades. We use the latest production techniques to manufacture inspirational shaped and textured bricks allowing architects to push the boundaries of what can be achieved with brick!

Our standard bricks are available in metric and imperial sizes in a range of natural Staffordshire colours. They are a traditional Staffordshire product and are ideal for refurbishment where a close match to the original bricks is essential.

“It has taken us a while to find a brick that looks good and can deal with exposure on all surfaces”

Friedrich Ludewig, director of award winning Acme Architects who used Ketley Staffordshire red bricks for the Victoria Gate Arcade in Leeds.

Brick Award Winner Best Refurbishment. The new Swift Tower at Walthamstow Wetlands is constructed from Ketley brown brindle bricks.



Staffordshire blue





Staffordshire Blue 'Class A' Facing Bricks



Conform to BS EN 771-1: 2011+A1:2015
 Class A.
 Solid or perforated.
 Uniformly high crushing strength.
 Low water absorption.
 Resistant to acids, alkalis and abrasion.

Sizes:
 215x102.5x50 mm 215x102.5x65 mm 215x102.5x73 mm

Ketley Staffordshire Blue Bricks provide unrivalled durability and strength, making them the choice for highly demanding environments. In the early part of the 20th Century this Staffordshire Blue colour was regarded as the ultimate stamp of strength and durability.

Projecting brickwork

The outstanding performance characteristics of Ketley Class A bricks, with their low water absorption makes them particularly suitable for textured facades where more than one face of the brick is exposed to the weather.

Aesthetics

Ketley Staffordshire blue bricks have a strong aesthetic appeal. They have a precise form and a distinctive quality which is equally suitable for contemporary projects as well as restorations. Combined with their unrivalled physical properties and range of colour matched specials, they are the ideal material for contrasting detailing in brickwork of less durable clay.

Special Shapes

A complete range of special shapes to BS 4729:2005 is available. We also undertake the manufacture of 'non-standard' specials to customers' specification as required. Our specials are fired alongside our squares ensuring consistency of colour across all our special bricks.



Samples: Illustrations in this publication are as accurate as the printing process will permit and will reflect lighting conditions at the time the photographs were taken. To appreciate fully the appearance of the bricks please request samples from our Sales office on **01384 78361** or **info@ketley-brick.co.uk**, these are freely available and will provide a better guide. All our products are made from naturally occurring materials and therefore a certain degree of colour variation is an inherent feature of the products.





Staffordshire Brown Brindle 'Class A' Facing Bricks



Conform to BS EN 771-1: 2011+A1:2015
Class A.
Solid or perforated.
Uniformly high crushing strength.
Low water absorption.
Resistant to acids, alkalis and abrasion.

Sizes:
215x102.5x50 mm 215x102.5x65 mm 215x102.5x73 mm


The Staffordshire brown brindle colour is manufactured only by Ketley Brick and provides an alternative to blue as a feature brick. These bricks are used on a wide range of projects both traditional and modern.

Aesthetics


Ketley Staffordshire brown brindle are attractive in larger commercial projects where they create a distinguished and unique appearance. Their unrivalled physical properties and range of colour matched specials makes them the ideal material for contrasting detailing in brickwork of less durable clay.

Applications

Staffordshire brown brindle bricks are suitable for architectural use particularly in commercial developments. Their high resistance to acids, alkalis and abrasion makes them equally suitable for foundations, pickling tanks, chemical works, sewerage schemes, strongrooms, bridges, tunnels, retaining walls, bunker linings and walls.




Samples: Illustrations in this publication are as accurate as the printing process will permit and will reflect lighting conditions at the time the photographs were taken. To appreciate fully the appearance of the bricks please request samples from our Sales office on **01384 78361** or **info@ketley-brick.co.uk**, these are freely available and will provide a better guide. All our products are made from naturally occurring materials and therefore a certain degree of colour variation is an inherent feature of the products.





Staffordshire Red 'Class A' Facing Bricks



Conform with BS EN 771-1: 2011+A1:2015
 Class A.
 Solid or perforated.
 Uniformly high crushing strength.
 Low water absorption.
 Resistant to acids, alkalis and abrasion.

Sizes:
 215x102.5x50 mm 215x102.5x65 mm 215x102.5x73 mm

Ketley natural red Staffordshire Class A facing bricks have a deserved reputation for excellence. They are solid or perforated and are a distinct rich red colour especially good for matching properties built during Victorian times.

Applications

Ketley Staffordshire reds are frequently used for architectural purposes in commercial developments and for landscaping and structural use in urban renewal schemes and general improvement areas.

They are often used in conjunction with other less durable materials for cappings or copings and to add detail and interest.

Ketley Staffordshire red Class A bricks are suitable for use in particularly exposed conditions such as the Cheltenham Flood Alleviation Scheme, seen in the photograph above right.



Samples: Illustrations in this publication are as accurate as the printing process will permit and will reflect lighting conditions at the time the photographs were taken. To appreciate fully the appearance of the bricks please request samples from our Sales office on **01384 78361** or **info@ketley-brick.co.uk**, these are freely available and will provide a better guide. All our products are made from naturally occurring materials and therefore a certain degree of colour variation is an inherent feature of the products.



Above: Three New Bailey, the new HMRC building in Salford. This Surface Design Award and Facade Award winner uses Ketley bricks, extruded slips and specials all in Staffs red to create its innovative woven facade.



Right: A combination of Ketley brick slips and special bricks were used to create this impressive brick façade at the Victoria Gate shopping centre in Leeds. Brick Award Winner Best Commercial Building & Best Innovative Use of Brick.



Brick Award Winner Ketley brick slips and pistols slips at Harvey Nichols

Extruded Brick Slips

All colours are available in a smooth, sanded, or textured finish and with the choice of either a flat back or dovetail key on reverse.

Ketley Brick's range of extruded brick slips eliminate the need and cost to cut down bricks for use with pre-fabricated panels and other cladding solutions. They have only 30% of the embodied carbon of a traditional cut brick slip and are a highly durable, sustainable and cost effective choice for construction.

Ketley brick slips are manufactured from the same clay, using the same processes as the Ketley Class A engineering bricks and Dreadnought roof tiles to deliver the same technical characteristics of very low water absorption, very high strength and unrivalled frost resistance.

Ketley brick slips are the sustainable choice to create authentic brick facades for both external and internal applications. All the colours are achieved naturally through the careful control of the kiln atmosphere without the use of surface pigments or artificial stains. This generates a warmth and authenticity to the brick colours which cannot be matched.



Staffordshire red sanded



Staffordshire red blue sanded



Staffordshire light multi textured



Staffordshire dark multi textured




Staffordshire brown brindle smooth



Staffordshire blue smooth



dove tail key for precast applications



Samples: Illustrations in this publication are as accurate as the printing process will permit and will reflect lighting conditions at the time the photographs were taken. To appreciate fully the appearance of the bricks please request samples from our Sales office on 01384 78361 or info@ketley-brick.co.uk, these are freely available and will provide a better guide. All our products are made from naturally occurring materials and therefore a certain degree of colour variation is an inherent feature of the products.



Special Shaped Bricks

The use of Ketley Specials to add a high quality finish to brickwork ensures extra durability and protection to vulnerable areas and will save time on-site by overcoming extensive hand cutting.

Because Special Shaped bricks are generally used in situations of severe exposure such as copings and cills, powerful resistance to water penetration and high durability have always been essential.

Ketley Brick manufactures a wide range of special shaped bricks for a multitude of applications. Most of the European Standard Special Shaped Bricks are supplied and Ketley will also manufacture specials from drawings supplied, allowing imaginative design options and decorative detail to be incorporated, confident that Ketley will be able to accurately match requirements.

Separate Ketley Special Shaped Bricks and Ketley Paver and Fittings brochures are available on request. Please contact our sales office for further details.

Orders for purpose made specials are always welcome at Ketley. A simple three dimensional drawing indicating dimensions and exposed faces can be discussed with our experienced representatives or submitted direct to the factory. Dedicated tooling may be required for purpose made specials and we recommend that discussions are undertaken early in the project. We welcome the opportunity to be included early in design discussions as we can often suggest ways to reduce cost.



New Vision Bricks

In addition to our extensive range of standard clay bricks, brick slips, pavers, quarry tiles and matching specials, we have a dedicated new special brick consultancy service to create bespoke shapes, sizes, and intricate surface designs, through the application of new production techniques.

We are clay innovators and we use the very latest in mould and die technologies and digital imaging techniques. Working closely with architects we develop solutions to deliver bespoke Vision bricks in the most practical and cost-effective way, even for small volumes.

Our innovative solutions help architects overcome technical challenges, and push the boundaries of brick design to create inspirational, award-winning brick architecture of the future.

Here are some examples of the kind of bricks we can create, but our creative team are at the ready to hear about your ideas for other new shapes and textures.



image by Will Slater



Samples: Illustrations in this publication are as accurate as the printing process will permit and will reflect lighting conditions at the time the photographs were taken. To appreciate fully the appearance of the bricks please request samples from our Sales office on **01384 78361** or **info@ketley-brick.co.uk**, these are freely available and will provide a better guide. All our products are made from naturally occurring materials and therefore a certain degree of colour variation is an inherent feature of the products.



Linium Bricks

These long thin bricks laid in a way that underlines the horizontal joints, create a dramatic and elongated effect. With a size of 265mm long x11mm high and 82mm deep, these ultra thin bricks offer an aesthetic that can be beautifully assimilated into modern architecture. This style of long thin bricks has become popular with architects and designers, in both exterior and interior applications, as detailing to accentuate horizontal lines.

Made from the same Etruria marl clay as all the Ketley range, Linium bricks have very low water absorption and excellent durability making them ideal for exposed situations, such as external walling, extensions, patios and even garden edging, where they will be subject to high degrees of weathering and rising or penetrating damp.

Ketley supply Linium bricks in three Staffordshire colours, blue brindle, brown multi and red.



Technical Specification

Size: 265mm x 82mm
Thickness: 11mm
Finish: Smoothfaced
Weight/tile: 0.6kg

Packing: 2000 bricks per pack
Weight /pack: 1.21 tonnes

They are supplied as a 265mm x 165mm x 11mm unit with a “snap” to create 2 Linium bricks.

These are similar to creasing tiles and conform to BS EN 1304:2013 which covers Clay Roof Tiles and Fittings. They exceed the specification in terms of transverse strength and water absorption.

Water absorption	3.9%
Transverse strength	880N
Freeze thaw resistance	conforms to BS EN 539-2:2013



Technical Specifications for Bricks

TYPE: Extruded wirecut brick Class A
COLOURS: Staffordshire blue / brown brindle / red
STRUCTURE: Solid or perforated
TEXTURE: Smooth
SIZE: Complies with dimensions and tolerances of BS EN 771-1: 2011+A1: 2015
MASONARY UNIT GROUP: HD

Dimensions	Weight	No. per m ² (10mm joints)	Packing:	Banded for fork lift off-loading	400 per pack 65mm 368 per pack 73mm
215 x 102.5 x 65mm	3.3 Tonnes/1000	60	kg per pack:	65mm 1320kg solid 65mm 980kg perf	73mm 1400kg solid 73mm 1070kg perf
215 x 102.5 x 73mm	3.8 Tonnes/1000	53			

Technical Specifications for Brick Slips

TYPE: Extruded brick slips
COLOUR: Staffordshire blue / brown brindle / red / light multi / dark multi / red blue
TEXTURE: Smooth / sanded / textured
REVERSE KEY: Flat back or dovetail key (for precast concrete applications) key depth 4.5mm for 18mm slip

Dimensions	Weight	No. per m ² (10mm joints)	Packing:	Banded for fork lift off-loading	1890 units /pallet 18mm 2170 pieces/pallet 15mm
215 x 65 x 18mm	0.57kg/slip	60	kg per pallet:	1100kg 18mm 1000kg 15mm	
215 x 65 x 15mm	0.45kg/slip	60			

European Standard BS EN 771-1: 2011+A1:2015

Engineering Grade	A
Compressive strength	≥ 125N/mm ²
Water absorption	≤ 4.5%
Initial Rate of Water absorption	≤ 1.5kg/metre/minute
Thermal Conductivity	On application
Bond Strength	0.15N/mm
Net Dry Density	2200 kg/m ³ (typically)
Density Tolerance	D1
Soluble salt content	S2
Durability	F2
Fire Reaction	A1
Dimensional Tolerance Mean	T2
Dimensional Tolerance Range	R1



KETLEY

BRICK

Bricks, Slips and Pavers

Ketley Brick Company Ltd
Dreadnought Works
Pensnett, Brierley Hill
West Midlands, DY5 4TH

Tel: 01384 78361

Email: sales@ketley-brick.co.uk

Web: www.ketley-brick.co.uk

Although Ketley Brick Company Limited does its best to ensure that any advice, recommendations or information it may give is accurate, no liability or responsibility of any kind (including liability for negligence) is accepted in this respect by Ketley Brick Company Ltd, its staff or agents. Claims and statements made by Ketley Brick Company Ltd regarding its products refer to those which have been properly handled on site. Ketley Brick Ltd cannot accept any liability of any kind for problems caused by the acts or omissions of third parties or by poor site practice.